

Y-5624301

MOTORISED CHANGEOVER SWITCH 1-0-2 3P 40A INCOMING ON TOP. 80-230VAC



Code	007Y-5624301
EAN	8430892196727
Product description	Motorised changeover switch 1-0-2 , 3 poles 40A with motor unit supply 80-230Vac . The supply incoming cables are connected on the top side of the unit and the load outgoing cables are connected on the bottom side. Size D1 dimensions 135x128x80, includes auxiliary contact 12A. Back plate mounting. Built-in internal links, mechanical and electrical interlock. Local emergency operation, includes removable padlockable handle. Display for switch position indication and operation counter. Impulse control logic. Protection against supply voltage failure . Cable clamp connection for wires 6-16mm².

Logistic data

Customs code	85365080
ETIM code	EC000216

Technical data


Poles	3
Rated voltage / frequency	690 V / 50 Hz
Operational rating (Ie)	40 A
Thermal rating (Ith)	40 A
Wire cross section	6-16 mm ²
Tightening torque	2 Nm
Connection screws	M5

Terminal



Peak consumption	2 A
Nominal consumption	40 mA
Weight	1200 gr
Supply voltage (V DC)	12 V +15%
Standard	IEC 60947-3
Y5 Type	56
Supply	80-230V AC

Connection



Dimensions

